



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

G.723.1

Annex B
(11/96)

SERIES G: TRANSMISSION SYSTEMS AND MEDIA

Digital transmission systems – Terminal equipments –
Coding of analogue signals by methods other than PCM

Dual rate speech coder for multimedia
communications transmitting at 5.3 and 6.3 kbit/s

**Annex B: Alternative specification based on
floating point arithmetic**

ITU-T Recommendation G.723.1 – Annex B

(Previously CCITT Recommendation)

ITU-T G-SERIES RECOMMENDATIONS
TRANSMISSION SYSTEMS AND MEDIA

INTERNATIONAL TELEPHONE CONNECTIONS AND CIRCUITS	G.100–G.199
INTERNATIONAL ANALOGUE CARRIER SYSTEM	
GENERAL CHARACTERISTICS COMMON TO ALL ANALOGUE CARRIER-TRANSMISSION SYSTEMS	G.200–G.299
INDIVIDUAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON METALLIC LINES	G.300–G.399
GENERAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON RADIO-RELAY OR SATELLITE LINKS AND INTERCONNECTION WITH METALLIC LINES	G.400–G.449
COORDINATION OF RADIOTELEPHONY AND LINE TELEPHONY	G.450–G.499
TRANSMISSION MEDIA CHARACTERISTICS	
DIGITAL TRANSMISSION SYSTEMS	
TERMINAL EQUIPMENTS	G.700–G.799
General	G.700–G.709
Coding of analogue signals by pulse code modulation	G.710–G.719
Coding of analogue signals by methods other than PCM	G.720–G.729
Principal characteristics of primary multiplex equipment	G.730–G.739
Principal characteristics of second order multiplex equipment	G.740–G.749
Principal characteristics of higher order multiplex equipment	G.750–G.759
Principal characteristics of transcoder and digital multiplication equipment	G.760–G.769
Operations, administration and maintenance features of transmission equipment	G.770–G.779
Principal characteristics of multiplexing equipment for the synchronous digital hierarchy	G.780–G.789
Other terminal equipment	G.790–G.799
DIGITAL NETWORKS	G.800–G.899
General aspects	G.800–G.809
Design objectives for digital networks	G.810–G.819
Quality and availability targets	G.820–G.829
Network capabilities and functions	G.830–G.839
SDH network characteristics	G.840–G.899
DIGITAL SECTIONS AND DIGITAL LINE SYSTEM	G.900–G.999
General	G.900–G.909
Parameters for optical fibre cable systems	G.910–G.919
Digital sections at hierarchical bit rates based on a bit rate of 2048 kbit/s	G.920–G.929
Digital line transmission systems on cable at non-hierarchical bit rates	G.930–G.939
Digital line systems provided by FDM transmission bearers	G.940–G.949
Digital line systems	G.950–G.959
Digital section and digital transmission systems for customer access to ISDN	G.960–G.969
Optical fibre submarine cable systems	G.970–G.979
Optical line systems for local and access networks	G.980–G.999

For further details, please refer to ITU-T List of Recommendations.

ITU-T RECOMMENDATION G.723.1 – Annex B

ALTERNATIVE SPECIFICATION BASED ON FLOATING POINT ARITHMETIC

Source

Annex B to ITU-T Recommendation G.723.1, was prepared by ITU-T Study Group 15 (1993-1996) and was approved under the WTSC Resolution No. 1 procedure on the 8th of November 1996.

FOREWORD

ITU (International Telecommunication Union) is the United Nations Specialized Agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the ITU. The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, establishes the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

The approval of Recommendations by the Members of the ITU-T is covered by the procedure laid down in WTSC Resolution No. 1 (Helsinki, March 1-12, 1993).

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

© ITU 1997

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

	Page
B.1 Introduction.....	1
B.2 Algorithm description	1
B.3 ANSI C code	1

Recommendation G.723.1 – Annex B

ALTERNATIVE SPECIFICATION BASED ON FLOATING POINT ARITHMETIC

(Geneva, 1996)

B.1 Introduction

Recommendation G.723.1 provides a bit-exact, fixed-point specification of a dual rate 6.3 and 5.3 kbit/s speech coder for multimedia telecommunications applications. Exact details of this specification are given in bit-exact, fixed-point C code available from the ITU-T. This Annex describes an alternative implementation of G.723.1 contained in floating point C source code. A set of digital test vectors for this floating point specification is also available from the ITU-T in order to facilitate the implementation of Recommendation G.723.1. Note that passing the test vectors is a necessary but not a sufficient condition to comply with Recommendation G.723.1.

B.2 Algorithm description

The floating point version of G.723.1 has the same algorithmic steps as the fixed-point version. Similarly, the bit stream is identical to that of G.723.1. The reader is referred to clauses 2, 3, 4 and 6 of the main body of Recommendation G.723.1 for details.

B.3 ANSI C code

ANSI C code simulation the dual/rate encoder/decoder in floating point arithmetic is available from the ITU-T. Table B.1 lists all the files included in this code. Individual C function names are the same as in the main body text of Recommendation G.723.1.

TABLE B.1/G.723.1

List of software filenames

File name	Description
TYPDEF2.H	data type definition is machine dependent
CST2.H	definition of constants for Recommendation G.723.1
LBCCODE2.C	main program for G.723.1 speech codecs
LBCCODE2.H	function prototypes
CODER2.C	G.723.1 speech encoder for the two bit rates
CODER2.H	function prototypes
DECOD2.C	G.723.1 speech decoder for the two bit rates
DECOD2.H	function prototypes
LPC2.C	linear predictive analysis
LPC2.H	function prototypes
LSP2.C	line spectral pair related functions, quantizer
LSP2.H	function prototypes
EXC2.C	adaptive and fixed (MP-MLQ, ACELP) excitation
EXC2.H	function prototypes
UTIL2.C	miscellaneous functions (HPF, pack, unpack, I/O ...)
UTIL2.H	function prototypes
TAB2.C	tables of constants
TAB2.H	external declaration for constant tables

ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Telephone network and ISDN
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media
Series H	Transmission of non-telephone signals
Series I	Integrated services digital network
Series J	Transmission of sound-programme and television signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	Maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound-programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminal equipment and protocols for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communication
Series Z	Programming languages